


HEATING & AIR CONDITIONING



DUCTLESS SYSTEMS





CUSTOMIZED COMFORT. NO DUCTS REQUIRED.

American Standard[®] Heating & Air Conditioning single-zone and multi-zone ductless systems enable you to customize comfort by controlling temperatures in individual rooms and zones—without the expense and disruption of installing ductwork. Mounted in the ceiling or on a wall, ductless units offer a quiet, flexible and energy-efficient solution for:

- Homes that don't have a ducted system or that are already maxed out on the existing central system capacity.
- New room additions, garages, sun porches, attics and basements, and guest houses that need economical heating and cooling—without being tied into the existing system.
- New construction projects that benefit from the flexibility and convenience of ductless systems versus installation of traditional ducting.
- Controlling temperatures in one room with a single-zone system or as many as five rooms with a multi-zone system.



WE OBSESS OVER IT SO YOU DON'T.

For over a hundred years, we've made some of the most awarded, well-engineered heating and conditioning equipment, and earned a reputation for doing things ...right. And through it all, we've followed a pretty simple idea: "A Higher Standard" isn't just how we build our products. It's how we build our relationships with the customers who depend on us every single day.

AWARD-WINNING EXCELLENCE.

)21

Top Tier Owner Satisfaction for Central Air Conditioning

In a survey based on the proportion of members who are extremely likely to recommend their central air conditioning system to friends and family found American Standard Central Air Conditioning Systems' to be Top Tier in 2018 and 2020 Summer Surveys of 23,997 central air conditioning systems, owned by members who installed a new system between 2005-2020.

2019

Top Tier Owner Satisfaction for Gas Furnaces "A National Product Testing and Research Magazine"

In a 2018 Winter Survey & 2019 Summer Survey of 48,318 subscribers, American Standard gas furnaces rated Top Tier in Owner Satisfaction for new units purchased between 2003 & 2019.

Top Tier Owner Satisfaction for Heat Pumps*

"A National Product Testing and Research Magazine"

In a 2018 Winter Survey & 2019 Summer Survey of 12,463 subscribers, American Standard heat pumps rated Top Tier in Owner Satisfaction for new units purchased between 2003 & 2019.

*Based on a statistical model that estimates problem rates for heating or cooling within the first 8 years of ownership, for heat pumps that are not covered by an extended warranty or service contract, American Standard heat pumps rated as Top Tier in a 2018 Winter Survey and 2019 Summer Survey of 12,463 heat pumps, owned by members who purchased a new heat pump lunitl between 2003 and 2019.

WHAT IS SEER?

Seasonal Energy Efficiency Ratio (SEER) is an air conditioner's maximum efficiency rating, similar to the miles per gallon for your car.

WHAT IS HSPF?

Heating Seasonal Performance Factor (HSPF) measures heat pump efficiency during the average heating season. The higher the number, the more efficient the unit.

					9-		
OUTDOOR		Multi-Zone		1000000		Single-Zon	e
	4TXM65	4TXM22	4TXM23	4TYK17 4TX	(K17	4TXK25	4TXK38
Cooling Efficiency	up to 16 SEER	up to 22 SEER	up to 23 SEER		17–38	SEER	
Heating Efficiency	up to 8.2 HSPF	up to 10.5 HSPF	up to 11 HSPF		up to 15	5 HSPF	
Matched with Indoor Unit	4MXW23, 4MXF8, 4MXX8, 4MXD8, 4MXC8, 4MXD2	4MXW23, 4MXF8, 4MXX8, 4MXD8, 4MXC8, 4MXD2	4MXW23, 4MXF8, 4MXX8, 4MXD8, 4MXC8, 4MXD2	4MYW17 4MX (cooling only) (cooling	KW17 ng only)	4MXW25	4MXW38
Variable-Speed Invert Technology		Č.		ssor to continuously a	djust to m	eet your comf	ort setting.
Energy Efficient	Up to 35% more efficien	t than a conventional	single-speed compres	sor.			
Intelligent Defrost	Automatically improves	the system's heating of	efficiency and helps yo	u save energy.			
Anti-Corrosion Coil	Special Blue Fin Anti-Co	prrosion treatment inc	reases durability and m	aintains efficiency. (St	tandard or	n all heat pum	p models.)
Brushless Compressor	r Twin rotary DC brushles	s compressor provide	s better balance, lower	power consumption	and highe	er efficiency.	
Compressor Protectio	n Stops or delays operation	on of compressor if co	nflicts arise.				
Robust Grille	Strong hot dip galvanize	ed steel prevents dam	age and permits unobs	structed airflow.			
Ultra Low Outdoor Ambient Heating Capability	4TXK38: System is capa 4TXM23: 18k and 24k – (-31F). 30k and -35C (-31F).	System is capable of p		f the rated heating cap	pacity@-3	30C (-22F). He	ating to -35
				-		-	
NDOOR		High Wall		-	High Wa	all	
NDOOR	4MXW38	-	XW25	4MXW17	High Wa	all 4MYV	N17
	4MXW38 up to 38 SEER	4M	XW25 25.3 SEER	4MXW17 17 SEER	High Wa		
Cooling Efficiency		4M up to 2	-		High Wa	4MY\	ER
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit	up to 38 SEER up to 15 HSPF 4TXK38	4M up to 2 up to 2 4TXK25 4TXM6	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23	17 SEER up to 9 HSPF 4TXK17	High Wa	4MY 17 SE	EER A <17
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ve	4M up to 2 up to 7 4TXK25 4TXM6 ent allows quiet, efficie	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as	17 SEER up to 9 HSPF 4TXK17 19 dB.	High Wa	4MY 17 SE N/ 4TYI	EER A <17
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ve Provides temporary high	4M up to 2 up to 7 4TXK25 4TXM6 ent allows quiet, efficient o-speed operation to r	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired tem	17 SEER up to 9 HSPF 4TXK17 19 dB. perature quickly.		4MYV 17 SE N/ 4TYI (cooling	EER A <17
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ve	4M up to 2 up to 7 4TXK25 4TXM6 ent allows quiet, efficient o-speed operation to r	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired tem	17 SEER up to 9 HSPF 4TXK17 19 dB. perature quickly.		4MYV 17 SE N/ 4TYI (cooling	EER A <17
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ve Provides temporary high	4M up to 2 up to 7 4TXK25 4TXM6 ent allows quiet, efficient o-speed operation to r	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired tem	17 SEER up to 9 HSPF 4TXK17 19 dB. perature quickly.		4MYV 17 SE N/ 4TYI (cooling	EER A <17
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function Dry Mode	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ve Provides temporary high Automatically raises or log	4M up to 2 up to 7 4TXK25 4TXM6 ent allows quiet, efficient powers the temperature	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired tem e to maintain comfort a	17 SEER up to 9 HSPF 4TXK17 19 dB. perature quickly.		4MYV 17 SE N/ 4TYI (cooling	EER A <17
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function Dry Mode Active Filtration	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ve Provides temporary high Automatically raises or lo Reduces moisture.	4M up to 2 up to 7 4TXK25 4TXM6 ent allows quiet, efficient powers the temperature and allergen reduction	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired temp e to maintain comfort a n.	17 SEER up to 9 HSPF 4TXK17 19 dB. perature quickly. nd save on energy wh		4MYV 17 SE N/ 4TYI (cooling	EER A <17
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function Dry Mode Active Filtration Anti-Cold Feature	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air verge Provides temporary high Automatically raises or loc Reduces moisture. Aids in odor prevention at	4M up to 2 up to 2 4TXK25 4TXM6 ent allows quiet, efficient owers the temperature and allergen reduction ating operation to pre-	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired temp e to maintain comfort a n. vent blowing cold air di	17 SEER up to 9 HSPF 4TXK17 19 dB. Derature quickly. Ind save on energy wh		4MYV 17 SE N/ 4TYI (cooling	EER A <17
NDOOR Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function Dry Mode Active Filtration Anti-Cold Feature Timer	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ver Provides temporary high Automatically raises or loc Reduces moisture. Aids in odor prevention a Pre-heats coil during heat Allows you to set the time	4M up to 2 up to 2 4TXK25 4TXM6 ent allows quiet, efficient owers the temperature and allergen reduction ating operation to pre-	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired temp a to maintain comfort a m. vent blowing cold air di te automatically when y	17 SEER up to 9 HSPF 4TXK17 19 dB. Derature quickly. Ind save on energy wh irrectly to the room. you want.	ile you sle	4MYV 17 SE N/. 4TYI (cooling ep.	EER A (17 g only)
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function Dry Mode Active Filtration Anti-Cold Feature	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air verges Provides temporary high Automatically raises or loc Reduces moisture. Aids in odor prevention a Pre-heats coil during heat Allows you to set the time Concealed	4M up to 2 up to 2 4TXK25 4TXM6 ent allows quiet, efficient owers the temperature and allergen reduction ating operation to pre-	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired temp a to maintain comfort a n. vent blowing cold air di te automatically when y Cassette	17 SEER up to 9 HSPF 4TXK17 19 dB. perature quickly. Ind save on energy wh recetly to the room. you want.	ile you sle	4MYV 17 SE N/. 4TYI (cooling ep.	EER A (17 g only)
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function Dry Mode Active Filtration Anti-Cold Feature Timer Matched with	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ver Provides temporary high Automatically raises or loc Reduces moisture. Aids in odor prevention a Pre-heats coil during heat Allows you to set the time	4M up to 2 up to 7 4TXK25 4TXM6 ent allows quiet, efficient owers the temperature and allergen reduction ating operation to pre- e for the unit to opera	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired temp a to maintain comfort a m. vent blowing cold air di te automatically when y	17 SEER up to 9 HSPF 4TXK17 19 dB. Derature quickly. Ind save on energy wh irrectly to the room. you want.	ile you sle	4MYV 17 SE N/. 4TYI (cooling ep.	EER A (17 g only)
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function Dry Mode Active Filtration Anti-Cold Feature Timer Matched with Outdoor Unit	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ve Provides temporary high Automatically raises or lo Reduces moisture. Aids in odor prevention a Pre-heats coil during heat Allows you to set the tim Concealed 4MXD	4M up to 2 up to 2 4TXK25 4TXM6 ent allows quiet, efficient owers the temperature and allergen reduction ating operation to pre- e for the unit to opera 23	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired temp a to maintain comfort a n. vent blowing cold air di te automatically when y Cassette 4MXC	17 SEER up to 9 HSPF 4TXK17 19 dB. perature quickly. Ind save on energy wh irectly to the room. you want.	ile you sle	4MYV 17 SE N/. 4TYI (cooling ep. ep. Cor 4N	EER A (17 g only)
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function Dry Mode Active Filtration Anti-Cold Feature Timer Matched with Outdoor Unit Compact Design	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ver Provides temporary high Automatically raises or loc Reduces moisture. Aids in odor prevention a Pre-heats coil during heat Allows you to set the time Concealed 4MXD 4TXM22, 4TXM6, 4TXM2	4M up to 2 up to 2 4TXK25 4TXM6 ent allows quiet, efficient owers the temperature and allergen reduction ating operation to pre- e for the unit to opera e for the unit to opera 23 4TXM22 ur home.	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired temp a to maintain comfort a n. went blowing cold air di te automatically when y Cassette 4MXC 2, 4TXM6, 4TXM23	17 SEER up to 9 HSPF 4TXK17 19 dB. Derature quickly. Ind save on energy wh irectly to the room. you want. Floor/Ceilir 4MXX	ile you sle ng 4TXM23	4MYV 17 SE N/. 4TYI (cooling ep. ep. Con 4N 4TXM22, 4T.	EER A (17 g only) nsole //XF XM6, 4TXM
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function Dry Mode Active Filtration Anti-Cold Feature Timer Matched with Outdoor Unit Compact Design Quiet Operation	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ver Provides temporary high Automatically raises or loc Automatically raises or loc Aids in odor prevention a Pre-heats coil during heat Allows you to set the time Concealed 4MXD Takes up less space inside yo Specially designed air vert or	4M up to 2 up to 7 4TXK25 4TXM6 ent allows quiet, efficient owers the temperature and allergen reduction ating operation to pre- e for the unit to opera 23 4TXM22 ur home. perates as quietly as 1	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired temp a to maintain comfort a n. vent blowing cold air di te automatically when y Cassette 4MXC 2, 4TXM6, 4TXM23 9 dB.	17 SEER up to 9 HSPF 4TXK17 19 dB. perature quickly. Ind save on energy wh irectly to the room. you want. Floor/Ceilir 4MXX 4TXM22, 4TXM6, 4 Specially designed	ile you sle ng 4TXM23	4MYV 17 SE N/. 4TYI (cooling ep. ep. Con 4N 4TXM22, 4T.	EER A (17 g only) nsole //XF XM6, 4TXIV
Cooling Efficiency Heating Efficiency Matched with Outdoor Unit Quiet Operation Turbo Function Sleep Mode Function Dry Mode Active Filtration Anti-Cold Feature Timer Matched with Outdoor Unit Compact Design	up to 38 SEER up to 15 HSPF 4TXK38 Specially designed air ver Provides temporary high Automatically raises or loc Reduces moisture. Aids in odor prevention a Pre-heats coil during heat Allows you to set the time Concealed 4MXD 4TXM22, 4TXM6, 4TXM2	4M up to 2 up to 2 4TXK22 4TXM6 ent allows quiet, efficient owers the temperature and allergen reduction ating operation to pre- e for the unit to opera e for the unit to opera 23 4TXM22 ur home. perates as quietly as 1 ad provides fresh, heal	25.3 SEER 11.5 HSPF 5, 4TXM22, 5, 4TXM23 ent operation as low as reach your desired temp a to maintain comfort a n. vent blowing cold air di te automatically when y Cassette 4MXC 2, 4TXM6, 4TXM23 9 dB.	17 SEER up to 9 HSPF 4TXK17 19 dB. perature quickly. Ind save on energy wh rectly to the room. you want. Floor/Ceilir 4MXX 4TXM22, 4TXM6, 4 Specially designed gularly with water.	ile you sle ng 4TXM23	4MYV 17 SE N/ 4TYI (cooling ep. ep. Cor 4N 4TXM22, 4T	EER A (17 g only) nsole //XF XM6, 4TXIV

American Standard Mini/Multi Split Ductless System Registered Limited Warranty terms* include: 10 Years on compressor and functional parts. **Compressors, indoor coils and outdoor coils are covered with unit replacement.** For all coverage options, check with your independent American Standard dealer.

*Registered Limited Warranty terms are available when you register within 60 days of installation. You can register online at AmericanStandard.com or by phone at 800-554-6413, otherwise American Standard Heating & Air Conditioning's Base Limited Warranty terms will apply. Base Limited Warranty information on specific products can be found on AmericanStandard.com. Ask your dealer for full warranty information at time of purchase. Warranties are for residential and multi-family use only, some exclusions may apply.



(.)

-

1100 THERDA THERDAY

(ass (*n) (ass

CONTROL YOUR COMFORT WITH EASE.

American Standard[®] offers control options that suit your needs and lifestyle.

WIRELESS REMOTE CONTROL

This versatile, handheld remote control is compatible with American Standard mini-split and multi-split ductless systems.





PROGRAMMABLE CONTROLLER

Save your temperature settings with seven-day programmable capabilities, all on an easy to read, wall-mounted display. Sold separately. Contact your dealer for more information.

WIRED CONTROLLER

This wall-mounted controller is included with floor, ceiling, cassette, concealed and **Pro-Series units.** Sold separately for some mini-split and multi-split systems. Contact your dealer for more information.

WE OBSESS OVER IT. SO YOU DON'T.





We are committed to using environmentally friendly printing practices



American Standard has been creating comfortable and affordable living environments for more than a century. For more information, please visit www.americanstandardair.com.

All trademarks referenced are trademarks of their respective owners. © 2022 American Standard Heating and Air Conditioning.